

Desktop + Cloud processing / Features list

| | Features | | Advantages |
|--------------------|--|----------|--|
| INPUTS | Aerial (nadir and oblique) and terrestrial imagery | • - | Process images taken from any angle with from aerial or terrestrial, manned or unmanned platform |
| | Video (mp4 or avi format) | Ţ | Automatically extracts still frames from video files to create a project |
| | Any camera (compact, SLR, thermal, multispectral, GoPro, 360°, Tetracam, large-frame,etc.) images in .jpg or .tiff | • • | Use images acquired by any camera, from small to large frames, from consumer-grade to highly specialized cameras |
| | Multi-camera support for the same project | • 🖵 | Create a project using images from different cameras and process them together |
| | Camera rig support | Ģ | Process images using known rig relatives from multiple synchronized cameras |
| | Ground control point edit and import (.csv, .txt) | Ģ | Import and edit ground control points to improve the absolute accuracy of your project |
| | Known or custom reference coordinate system support in imperial or metric units | Ģ | Select EPSG code from known coordinate systems or define your own local system |
| | Camera exterior orientation support | • - | Optimize camera exterior orientation parameters starting from GPS and IMU input parameters |
| | External point cloud import | Ţ | Import a point cloud from different sources, such as LiDAR, and use it to create a DSM and orthomosaic |
| | Processing templates | - | Automate processing and generation of outputs by using standard or customized templates |
| PROCESSING | Rapid Check with Quality Report | | Rapid processing template for a dataset quick check while still on site |
| | Camera self-calibration | • - | Optimize internal camera parameters, such as focal length, principal point of autocollimation and lens distortions |
| | Rolling shutter effect correction | Ģ | Correct the warp of images taken with rolling shutter cameras (like GoPro, DJI Phantoms, etc.) to maintain accuracy, even when flying fast and low |
| | Automatic Aerial Triangulation (AAT) and Bundle Block Adjustment (BBA) | • - | Process automatically with or without known camera exterior orientations: (x, y, z, w, f, k) |
| | Automatic point cloud densification | • - | Produce a dense and detailed 3D point cloud, which can be used as a basis for DSM and 3D mesh |
| | Automatic point cloud filtering & smoothing | • - | Use presets for point cloud filtering and smoothing options |
| | Machine-learning point cloud classification | Ď | Automatically classify the RGB dense point cloud into five groups: ground, road surfaces, high vegetation, buildings and human-made objects |
| | Automatic DTM/DEM extraction | - | Remove above-ground objects from DSM and create a bare-Earth model |
| | Automatic brightness and color correction | • - | Compensate automatically for change of brightness, luminosity and color balancing of images |
| | Automatic outlier detection | - | Detect and visualize incorrectly-clicked MTPs (Manual Tie Points)/GCPs (Ground Control Points) |
| | Quality Report | • 🖵 | Assess the accuracy and quality of projects |
| | Project merging and splitting | Ģ | Combine multiple projects into one or split large projects into several for more efficient processing |
| | Project area definition | Ģ | Import (.shp) or draw specific areas to faster generate results inside specific boundaries |
| | Custom number of keypoints | • 🖵 | Set the number of keypoints to filter noise or speed up processing |
| | Multiprocessor CPU + GPU support | Ţ | Increase the processing speed by leveraging the power of CPU cores and threads, as well as GPUs |
| | Radiometric processing and calibration | Ţ | Calibrate and correct the image reflectance, taking the illumination and sensor influence into consideration |
| RAYCLOUD EDITOR | Project visualization | | Assess quality of optimized camera positions, 3D point cloud and mesh |
| | Navigation modes | Ģ | View 3D point cloud and mesh in standard, trackball, or first person viewing modes |
| | Scale Constraint | Ģ | Accurately scale projects with no or imprecise geolocation by defining one/multiple distances |
| | Orientation Constraint | Ţ | Orientate projects with no or imprecise geolocation by defining directions of one/multiple axes |
| | Ground control point (GCP) / Manual tie point (MTP) editing | Ģ | Annotate and edit 2D and 3D GCPs, check points, and MTPs with the highest accuracy, using both original images and 3D information at the same time |
| | Ellipsoid error visualization | Ţ | Visually assess the size of the error of the computed position of a GCP or MTP |
| | Project reoptimization | Ţ | Reoptimize camera positions and/or rematch images based on GCPs & MTPs to improve reconstruction |
| | | Ģ | Carve: Remove points from 3D point cloud and create filters based on image content |
| | Image masking | Ģ | Mask: Clear the unwanted background in orthoplane results |
| | | Ģ | Global Mask: Disregard objects that appear in all images, such as a drone leg or a tripod |
| | Point cloud editing | Ģ | Select, classify or delete points from the point cloud using various selection tools |
| | Orthoplane creation | Ģ | Define a plane to generate a DSM and orthomosaic from building facades, bridge piles, etc |
| | Polyline and surface object creation | | Annotate and measure polylines and surfaces in the point cloud |
| | | Ģ | Accurately refine vertexes in multiple original images |
| | 3D mesh and DSM editing | - | Annotate & create surfaces in the point cloud to flatten an area or fill up holes in the mesh and DSM |
| | Fly-through animation | Ţ | Create a virtual camera trajectory, play the animation in real-time and export it |



Desktop + Cloud processing / Features list

| VOLUME MANAGER | Volume object creation | Ţ | Annotate and measure volumes based on the DSM |
|---------------------|---|---------------------------------------|--|
| | Volume object management | Ţ | Import and export selected volume bases in .shp files to enable easy monitoring of stockpiles on site |
| | Base adjustment | Ţ | Adjust the reference base to fit different terrain and obtain accurate measurement |
| MOSAIC EDITOR | Region editing | Ģ | Create and edit regions on the orthomosaic, choose the best content from multiple underlying images and projection type to remove moving objects or artifacts |
| | Local blending | Ţ | Edit only the desired portion of the orthomosaic, blend it in real-time and get the improved orthomosaic within minutes |
| | Planar or ortho projection selection | Ţ | Select planar or ortho projection for each created region to remove artifacts |
| INDEX CALCULATOR | Radiometric adjustment interface | Ģ | Make the indices more reliable and accurate by correcting illumination effects using a radiometric target |
| | Reflectance map | Ţ | Generate an accurate reflectance map at the preferred resolution as a basis of index maps |
| | Multiple region management | - | Improve your analysis by managing and visualizing index values per region |
| | Automatic NDVI map | - | Generate singleband and NDVI maps based on pre-defined formulas without user intervention |
| | Index formula editing | <u></u> | Create and save your own formulas choosing among each available input band and generate custom index maps |
| | Class management | Ģ | Create a basis of your annotated vector map by segmenting the data into classes using statistical algorithms (equal spacing, equal area, Jenks) |
| | Prescription annotation | Ď | Match on-site scouts and observations by assigning annotations based on your decisions |
| | Prescription map export | Ţ | Put your data into action and export the prescription map in .shp format |
| | | • - | Nadir orthomosaics in GeoTIFF output format |
| | | | |
| | | | Orthomosaics from user-defined orthoplane in GeoTIFF output format |
| | 2D output results: | <u></u> | Orthomosaics from user-defined orthoplane in GeoTIFF output format Google tiles export in .kml and .html output formats |
| | 2D output results: | | |
| | 2D output results: | <u></u> | Google tiles export in .kml and .html output formats |
| | | | Google tiles export in .kml and .html output formats Index maps (Thermal, DVI, NDVI, SAVI, etc.) in GeoTIFF and GeoJPG format |
| | 2D output results: 2.5D output results: | <u>.</u> | Google tiles export in .kml and .html output formats Index maps (Thermal, DVI, NDVI, SAVI, etc.) in GeoTIFF and GeoJPG format Prescription maps in .shp format |
| | | - - - - | Google tiles export in .kml and .html output formats Index maps (Thermal, DVI, NDVI, SAVI, etc.) in GeoTIFF and GeoJPG format Prescription maps in .shp format Nadir DSMs and DTMs in GeoTIFF format |
| | 2.5D output results: | 0 0 0 | Google tiles export in .kml and .html output formats Index maps (Thermal, DVI, NDVI, SAVI, etc.) in GeoTIFF and GeoJPG format Prescription maps in .shp format Nadir DSMs and DTMs in GeoTIFF format DSMs from user-defined orthoplane in GeoTIFF output format 3D PDF for easy sharing of 3D mesh Full 3D textured mesh in .obj., ply, .dxf, and .fbx format Tiled Level-of-detail (LoD) mesh in osgb and slpk (Esri) format Point cloud in .las, .laz, .xyz and .ply output format Contour lines in .shp, .dxf, .pdf format |
| | 2.5D output results: | 0 0 0 | Google tiles export in .kml and .html output formats Index maps (Thermal, DVI, NDVI, SAVI, etc.) in GeoTIFF and GeoJPG format Prescription maps in .shp format Nadir DSMs and DTMs in GeoTIFF format DSMs from user-defined orthoplane in GeoTIFF output format 3D PDF for easy sharing of 3D mesh Full 3D textured mesh in .obj, .ply, .dxf, and .fbx format Tiled Level-of-detail (LoD) mesh in osgb and slpk (Esri) format Point cloud in .las, .laz, .xyz and .ply output format Contour lines in .shp, .dxf, .pdf format User-defined vector objects in .dxf, .shp, .dgn and .kml format Full 3D textured mesh in .obj and .fbx format Point cloud in .las output format |
| | 2.5D output results: 3D output results: | 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | Google tiles export in .kml and .html output formats Index maps (Thermal, DVI, NDVI, SAVI, etc.) in GeoTIFF and GeoJPG format Prescription maps in .shp format Nadir DSMs and DTMs in GeoTIFF format DSMs from user-defined orthoplane in GeoTIFF output format 3D PDF for easy sharing of 3D mesh Full 3D textured mesh in .obj, .ply, .dxf, and .fbx format Tiled Level-of-detail (LoD) mesh in osgb and slpk (Esri) format Point cloud in .las, .laz, .xyz and .ply output format Contour lines in .shp, .dxf, .pdf format User-defined vector objects in .dxf, .shp, .dgn and .kml format Full 3D textured mesh in .obj and .fbx format Point cloud in .las output format Georeferenced annotations in .csv, GEOjson, and .shp format |
| OUTPUT RESULTS | 2.5D output results: 3D output results: Fly-through animation and flightpaths Optimized camera position, external orientation and internal parameters, | 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | Google tiles export in .kml and .html output formats Index maps (Thermal, DVI, NDVI, SAVI, etc.) in GeoTIFF and GeoJPG format Prescription maps in .shp format Nadir DSMs and DTMs in GeoTIFF format DSMs from user-defined orthoplane in GeoTIFF output format DSMs from user-defined orthoplane in GeoTIFF output format Tiled Level-of-detail (LoD) mesh in osgb and .fbx format Tiled Level-of-detail (LoD) mesh in osgb and slpk (Esri) format Point cloud in .las, .laz, .xyz and .ply output format Contour lines in .shp, .dxf, .pdf format User-defined vector objects in .dxf, .shp, .dgn and .kml format Full 3D textured mesh in .obj and .fbx format Point cloud in .las output format Georeferenced annotations in .csv, GEOjson, and .shp format Export the animation in .mp4 and .avi formats and the fly-through waypoints and path in .csv format Export Aerial Triangulation results into traditional photogrammetry software solutions (e.g. INPHO, |



Desktop platform

Cloud plaftorm / Features list

| Advantages |
|---|
| ■ View 2D maps and 3D models using any web browser ■ Visualize current and previous days data on an intuitive timeline ■ Measure distances and areas on 2D maps and 3D models ■ Annotate 2D maps and 3D models with polygons and location markers ■ Export annotations in .cvs, GeoJSON and Shapefile ■ Upload and overlay CAD drawings to compare as-built vs. as-design ■ Download and import data into CAD/BIM software ■ Share projects via a simple link ■ Embed project output in a webpage |
| |

HARDWARE SPECS



CPU:(quad-core or hexa-core Intel i7/Xeon recommended)

Cloud platform



GPU: Compatible with Open-GL 3.2 (Ge-Force 2 GB RAM recommended)



HD: SSD recommended



OS: Windows 7, 8, 10 64 bits Linux (Enterprise only)



RAM: DDR4-2400 64 GB recommended



General inquiries: info@pix4d.com Sales inquiries: sales@pix4d.com







